Formulate Tablet Kiosk - 03

TABLET-STD-03

Sleekly-designed free standing tablet stands and kioks make it easy to encourage interactivity, present information and engage your customers in any space.



features and benefits:

- State-of-the-art 30mm aluminum tube frame with sturdy internal spigot assembly

- Easy to store and ship Quick to set up Includes the large tablet shell. Small shell is available upon request.
- Kit includes: one frame, one dye-sublimated pillowcase graphic, tablet holder, and one wheeled molded OCE storage case
- Lifetime hardware warranty against manufacturer defects

dimensions:

uillelisiolis.				
Hardware	Graphic			
Assembled unit: 19.982" w x 64.335" h x 15.203" d 507.5mm(w) x 1634mm(h) x 386mm(d) Approximate weight (includes graphic): 16.38 lbs / 7.43 kg	Refer to related graphic template for more information. Visit: www.exhibitors-handbook.com/ graphic-templates			
Shipping				
Shipping dimensions: 1 OCE-2 case: 18"l x 18"w x 40"h up to 66"h 457mm(l) x 457mm(w) x 1016mm(h)				
up to 1675mm(h) Approximate shipping weight (with case): 37.38 lbs / 16.95 kg	additional information:			
	Graphic material: Dye-sublimated pillowcase fabric			
	Tablet not included			
	*Reference page 2 for tablet size compatibility			
	This product may include the following materials for recycle: alµminum, select wood, fabric, cardboard, paper, steel, and plastics.			

We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

Choosing Your Size


Use the table below to determine the correct shell size for your tablet.

Common Tablets	Height	Width	Dept	Weight	Screen Size	Shell Size		
iPad Tablets								
1st Gen iPad Pro 11 (2018)	9.74"	7.02"	0.23"	1 lb.	11"	Large		
2nd Gen iPad Pro 11 (2017)	9.74"	7.02"	0.23"	1 lb.	11"	Large		
1st Gen iPad Pro 12 (2017)	12.04"	8.69"	0.27"	1.53 lb.	12.9"	Large		
2nd Gen iPad Pro 12 (2017)	12.04"	8.69"	0.27"	1.53 lb.	12.9"	Large		
3th Gen iPad Pro 12.9 (2017)	11.04"	8.46"	0.23"	1.4 lb.	12.9"	Large		
4th Gen iPad Pro 12.9 (2017)	11.04"	8.46"	0.23"	1.4 lb.	12.9"	Large		
New iPad (2018)	9.4"	6.6"	0.29"	1 lb.	9.7"	Small		
iPad mini 4	8"	5.3"	0.24"	.66 lb.	7.9"	Small		
1st Gen Ipad Air	9.4"	6.6"	0.29"	1.05 lb.	9.7"	Large		
2nd Gen Ipad Air	9.4"	6.6"	0.24"	.96 lb.	9.7"	Large		
3rd Gen iPad Air (2019)	9.87"	6.85"	0.24"	1 lb.	10.5"	Large		
iPad Pro 10.5	9.8"	6.8"	0.24"	1 lb.	10.5"	Large		
Ipad Mini 2	7.87"	5.3"	0.29"	.73 lb.	7.9"	Small		
Ipad Mini 3	7.87"	5.3"	0.29"	.73 lb.	7.9"	Small		
Ipad Mini 4	8"	5.3"	0.24"	0.65 lb.	7.9"	Small		
Ipad Mini 5	8"	5.3"	0.24"	0.66 lb.	7.9"	Small		
1st Gen Ipad	9.56"	7.74"	0.50"	1.5 lb.	9.7"	Large		
2nd Gen Ipad	9.5"	7.3"	0.35"	1.33 lb.	9.7"	Large		
3rd Gen Ipad	9.5"	7.3"	0.37"	1.43 lb.	9.7"	Large		
4th Gen Ipad	9.5"	7.3"	0.37"	1.43 lb.	9.7"	Large		
5th Gen Ipad	9.4"	6.6"	0.29"	1.43 lb.	9.7"	Large		
6th Gen Ipad	9.4"	6.6"	0.29"	1.03 lb.	9.7"	Large		
7th Gen Ipad	9.87"	6.85"	0.3"	1.09 lb.	10.2	Large		
8th Gen Ipad	9.8"	6.8"	0.29"	1.08 lb.	10.2	Large		
Android Tablets								
Samsung Galaxy Tab S3	9.34"	6.65"	0.24"	1 lb.	9.7"	Small		
Samsung Galaxy Tab S4	9.81"	6.47"	0.28"	1 lb.	10.5"	Large		
Microsoft Surface Pro	11.5"	7.9"	0.33"	1.73 lb.	12.3"	Large		
Asus ZenPad 3S 10	9.47"	6.44"	0.28"	1 lb.	9.7"	Large		
Kindle Fire 10	10.3"	6.3"	0.4"	1.1 lb.	10.1"	Large		
Google Nexus 9	8.99"	6.05"	0.31"	1 lb.	8.9"	Small		


^{*}Small shell is available. Contact sales rep for more information.



STEP 1: ASSEMBLE FRAME




Connect bottom tubes following the labels by matching number to number. Slide joiner into tubing so hex screw sits in hole on tubinger.



CONTINUED: Tighten the hex screw so the joiner seperates and tightens against the inside of the tubing, locking the joiner & tubing together.





frame over base to attach.




wing nuts to secure base.

STEP 3: ATTACH GRAPHIC












Line up tablet holder middle holes with TABLET-STD-ESS-SHELL-PLEX holes. Insert screws into front of bracket as show. tighten until secure. Do not over tighten. Orientation can not be changed without removing screws first.



Adjust tablet shell by sliding the grips in the direction indicated by the arrows to fit your tablet.



Insert your tablet into bracket. Collapsed bracket around tablet. Once complete use the hex key to tighten the fit.



